



HUNTER PACIFIC[®]
I N T E R N A T I O N A L



**GOOD
DESIGN
AWARD**[®]
GOLD WINNER

HUNTER PACIFIC[®]
I N T E R N A T I O N A L



Phone: 1300 369 828

Website: www.hunterpacific.com.au

Email: sales@hunterpacific.com.au

ed.1



COMPANY HISTORY

Quality and innovation are the philosophical cornerstones underpinning Hunter Pacific International's ceiling fans and related products for over 27 years.

Clever designs that are attractive and highly efficient make Hunter Pacific the most desirable brand of ceiling fan. Resort developers and home designers from all over the world love the contemporary designs and popular traditional styles, all created with the unique flair and sophistication for which Hunter Pacific is renowned.

Hunter Pacific has rigorous quality control processes in factories and at our distribution centres. Routine inspection and testing ensures specifications for product performance and safety are adhered to.







Product Range



DC fan Range

- Radical 2
- Radical 2 LED
- Aqua IP66
- Aqua IP66 LED
- X-Over DC
- X-Over DC LED
- Polar
- Polar LED
- Next Creation
- Next Creation LED
- New Image
- New Image LED
- Pinnacle
- Pinnacle LED
- The Big Fan



AC Fan Range

- Revolution 3
- Revolution 3 LED
- Concept 3
- Concept 3 LED
- Intercept II
- Intercept II LED
- Intercept II E27
- Aeroforce 2
- Typhoon Mach 3
- Typhoon Mach 3 316 Stainless Steel
- Typhoon Mach 3 Timber
- Typhoon Mach 3 Moulded
- Azure
- Azure LED
- Azure E27



Majestic Fan Range

- Coolah



Accessories

- Accessory light kits
- Ceiling fan remote controls
- DC Wall Controller
- Extension down rods
- Other fan accessories



DC FAN RANGE

Once again Hunter Pacific leads the way by developing ultra-high efficiency inverter driven motors on ceiling fans. When integrated into our exclusive range of high end decorator ceiling fans the benefits of this new DC motor technology are truly remarkable.

All Hunter Pacific inverter driven ceiling fans come with multi-speed, reversing remote controls. Our latest release, the Radical™ 2 is at the cutting edge of design for both efficiency and appearance. New Materials and construction techniques are easy to care for with high airflow and low power consumption.



PRODUCT FEATURES:

- 1520mm (60") diameter
- Polymer blades
- Power usage: 3W to 34W
- Airflow: 16,272 m³/hr
- 6 speed remote control (supplied)

RADICAL™ 2

Exceptional efficiency and extremely high airflow are characteristics of Hunter Pacific's leading wireless remote control DC motor powered ceiling fan. The Radical™ 2 features state-of-the-art 1520mm diameter aerodynamic moulded plastic blades finished in white, black, silver, bamboo or koa.



White

With white polymer blades
(Product code: DC2420)



Matt Black

With matt black polymer blades
(Product code: DC2422)



Brushed Aluminium

With bamboo finished blades
(Product code: DC2423)



Matt Black

With bamboo finished blades
(Product code: DC2424)



Matt Black

With koa finished blades
(Product code: DC2426)





PRODUCT FEATURES:

- 1520mm (60") diameter
- 15W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- Polymer blades
- Power usage: 3W to 34W
- Airflow: 16,272 m³/hr
- 6 speed remote control (supplied)

RADICAL™ 2 with 15W CCT LED

Hunter Pacific International have welcomed the arrival of the new Radical 2 ceiling fan with an extremely energy efficient 15W LED light, and the latest dimmable and colour changing technology (CCT).



White
With white polymer blades
(Product code: DC2440)



Matt Black
With matt black polymer blades
(Product code: DC2442)



Brushed Aluminium
With bamboo finished blades
(Product code: DC2443)



Matt Black
With bamboo finished blades
(Product code: DC2444)



Matt Black
With koa finished blades
(Product code: DC2446)



PRODUCT FEATURES:

- IP66 rating. Dust proof & protected against water projected from high pressure jets.
- Suitable for indoor, outdoor & coastal locations
- 1320mm (52") diameter / 1780mm (70") diameter
- ABS polymer body & blades
- Power usage: 2W to 19W (52") / 8W to 54W (70")
- Airflow: 14,286 m³/hr (52") / 24,895 m³/hr (70")
- 6 speed remote control (supplied)
- DC Wall Control adaptable (not included)

AQUA IP66

The only IP66 rated ceiling fan in the world (patents pending and registered design). This fan is like no other fan on the market, it is completely dustproof, with full protection against dust particles and protection from high pressure water jets (projected by a nozzle 12.5mm) from any direction suitable for use indoor, outdoor and coastal locations (without cover).



White

With white polymer blades
Available sizes:
1320mm/52" (Product code: AIP661)
1780mm/70" (Product code: AIP664)



Matt Black

With matt black polymer blades
Available sizes:
1320mm/52" (Product code: AIP662)
1780mm/70" (Product code: AIP665)



Matt Black With Koa

With koa finished polymer blades
1320mm/52" (Product code: AIP663)
1780mm/70" (Product code: AIP666)



PRODUCT FEATURES:

- IP66 rating. Dust proof & protected against water projected from high pressure jets.
- Suitable for indoor, outdoor and coastal locations
- 1320mm (52") diameter / 1780mm (70") diameter
- 18W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- ABS polymer body & blades
- Power usage: 2W to 19W (52") / 8W to 54W (70")
- Airflow: 14,286 m³/hr (52") / 24,895 m³/hr (70")
- 6 speed remote control (supplied)
- DC Wall Control adaptable (not included)

AQUA IP66 with 18W CCT LED

The only IP66 rated ceiling fan with light in the world (patents pending and registered design). This fan is like no other fan on the market, it is completely dustproof, with full protection against dust particles and protection from high pressure water jets (projected by a nozzle 12.5mm) from any direction suitable for indoor, outdoor and coastal locations (without cover).



White

With white polymer blades
1320mm/52" (Product code: AIPL667)
1780mm/70" (Product code: AIPL670)



Matt Black

With matt black polymer blades
1320mm/52" (Product code: AIPL668)
1780mm/70" (Product code: AIPL671)



Matt Black With Koa

With koa finished polymer blades
1320mm/52" (Product code: AIPL669)
1780mm/70" (Product code: AIPL672)





PRODUCT FEATURES:

- 1220mm (48") / 1420mm (56") diameter
- Quick Connect Blade System
- ABS polymer body and blades
- Power Usage: 2.7W to 35W
- Airflow: 13,250 m³/hr (48") / 14,953 m³/hr (56")
- 3 Speed wall control supplied (non-remote adaptable)

X-OVER DC

The future of DC all the energy efficiency of a DC ceiling fan, with the simplicity of an AC fan. Hunter Pacific leads the market with the introduction of the X-Over DC fan which operates on a standard 3 speed wall control (non-remote adaptable). With its contemporary design and integrating a quick connect blade system its innovative technology is sure to be the ultimate option for DC fans from Residential installations to schools and public buildings the X-Over is the Future.



Matt White


With white polymer blades
Available sizes:
1220mm/48" (Product code: XO300)
1420mm/56" (Product code: XO308)



Matt Black

With black polymer blades
Available sizes:
1220mm/48" (Product code: XO301)
1420mm/56" (Product code: XO309)





PRODUCT FEATURES:

- 1220mm (48") / 1420mm (56") diameter
- 18W CCT LED Light selectable by manual switch
- Colour temperatures : 3000K, 4000K & 6000K
- Dimmable using most Australian leading and trailing edge LED Light Dimmers
- 3 Speed wall control supplied (non-remote adaptable)
- Quick Connect Blades System
- ABS polymer body and blades
- Power Usage: 2.7W to 35W
- Airflow: 13,250 m³/hr (48") / 14,953 m³/hr (56")

X-OVER DC LED

The future of DC all the energy efficiency of a DC ceiling fan, with the simplicity of an AC fan. The X-Over DC fan which operates on a standard 3 speed wall control (non-remote adaptable) incorporates an energy efficient 18W CCT LED Light (selectable by manual switch and dimmable using most Australian leading and trailing edge LED Light Dimmers). With its streamline design and low energy consumption on both fan and light from small to large rooms with either a 48" or 56" option the X-Over is the answer.



Matt White With CCT LED

With white polymer blades
Available sizes:
1220mm/48" (Product code: XOL302)
1420mm/56" (Product code: XOL310)



Matt Black With CCT LED

With black polymer blades
Available sizes:
1220mm/48" (Product code: XOL303)
1420mm/56" (Product code: XOL311)



PRODUCT FEATURES:

- 1320mm (52") diameter
- Quick Connect Blade System
- ABS polymer body and blades
- Power Usage: 3W to 25W
- Airflow: 13,852 m³/hr (52")
- 3 Speed wall control supplied (non-remote adaptable)

X-OVER DC

The X-Over 4 blade DC Fan which operates on a standard 3 speed wall control (non-remote adaptable) has all the energy efficiency of a DC ceiling fan, with the simplicity of an AC fan. With its modern stylish design and quick connect blade system in a 52" size this is sure to become a best seller.



Matt White

With white polymer blades
Available sizes:
1320mm/52" (Product code: XO304)



Matt Black

With black polymer blades
Available sizes:
1320mm/52" (Product code: XO305)



PRODUCT FEATURES:

- 1320mm (52") diameter
- 18W Dimmable CCT LED Light
- Colour temperatures : 3000K, 4000K & 6000K
- Quick Connect Blades System
- ABS polymer body and blades
- Power Usage: 3W to 25W
- Airflow: 13,852 m³/hr (52")
- 3 Speed wall control supplied (non-remote adaptable)

X-OVER DC LED

The X-Over 4 blade DC Fan which operates on a standard 3 speed wall control (non-remote adaptable) has all the energy efficiency of a DC ceiling fan, with the simplicity of an AC fan. With its modern stylish design integrated energy efficient 18W CCT LED Light (selectable by manual switch and dimmable using most Australian leading and trailing edge LED Light Dimmers).

Its sure to be a popular model for a large variety of applications.



Matt White With CCT LED

With white polymer blades

Available sizes:

1320mm/52" (Product code: XOL306)



Matt Black With CCT LED

With black polymer blades

Available sizes:

1320mm/52" (Product code: XOL307)





PRODUCT FEATURES:

- 1220mm (48")/1420mm (56") diameter
- ABS polymer body & blades
- Power usage: 3W to 26W
- Airflow: 13,860 m³/hr (48")/14,928 m³/hr (56")
- 6 speed remote control (supplied)
- DC Wall Control adaptable (not included)

POLAR

The Polar ceiling fan encapsulates all the latest DC technology with a slim, modern design the aerodynamic blades create colossal airflow, with minimum energy consumed for a very affordable price.



Matt White

With matt white polymer blades
Available sizes:
1220mm/48" (Product code: P3B571)
1420mm/56" (Product code: P3B575)



Matt Black

With matt black polymer blades
Available sizes:
1220mm/48" (Product code: P3B572)
1420mm/56" (Product code: P3B576)





PRODUCT FEATURES:

- 1220mm (48")/1420mm (56") diameter
- 18W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- ABS polymer body & blades
- Power usage: 3W to 26W
- Airflow: 13,860 m³/hr (48")/14,928 m³/hr (56")
- 6 speed remote control only (supplied)
- DC Wall Control adaptable (not included)

POLAR with 18W CCT LED

With evolutionary design the 18W Dimmable CCT (Colour Changing Technology) LED, allows you to select the lighting colour temperature of your choice, with just a press of the button.



Matt White

With matt white polymer blades
Available sizes:
1220mm/48" (Product code: P3BL581)
1420mm/56" (Product code: P3BL585)



Matt Black

With matt black polymer blades
Available sizes:
1220mm/48" (Product code: P3BL582)
1420mm/56" (Product code: P3BL586)





PRODUCT FEATURES:

- 1320mm (52")
- ABS polymer body & blades
- Power usage: 3W to 26W
- Airflow: 14,315 m³/hr
- 6 speed remote control (supplied)
- DC Wall Control adaptable (not included)

NEXT CREATION

Introducing the Next Creation, with the slim, modern design this 4 bladed beauty has all benefits of increased airflow and extreme energy efficiency of less than 26 watts on high speed.



White
With matt white polymer blades
(Product code: NC151)



Matt Black
With matt black polymer blades
(Product code: NC152)



PRODUCT FEATURES:

- 1320mm (52")
- 18W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- ABS polymer body & blades
- Power usage: 3W to 26W
- Airflow: 14,315 m³/hr
- 6 speed remote control only (supplied)
- DC Wall Control adaptable (not included)

NEXT CREATION with 18W CCT LED

The slimline seamless design of LED lighting in the Next Creation will not disappoint, encompassing all the latest features of Dimmable LED Colour Changing Technology (CCT). The modern design has increased airflow and extreme energy efficiency of less than 26 watts on high speed.



Matt White

With matt white polymer blades
(Product code: NCL155)



Matt Black

With matt black polymer blades
(Product code: NCL156)





PRODUCT FEATURES:

- 1320mm (52")
- ABS polymer body & blades
- Power usage: 3W to 26W
- Airflow: 14,425 m³/hr
- 6 speed remote control and DC Wall Control (supplied)

NEW IMAGE

Imagine the choice of a DC ceiling fan operated with either wall control, remote control or both. A modern, stylish DC ceiling fan with wall control has finally arrived. Hunter Pacific's revolutionary advancement in technology will astound you with the New Image ceiling fan. Complete with a 240V Wall Control and Remote Control included in the box.



Matt White

With matt white polymer blades
(Product code: NI101)



Matt Black

With matt black polymer blades
(Product code: NI102)



Matt Black

With koa polymer blades
(Product code: NI103)





PRODUCT FEATURES:

- 1320mm (52")
- 18W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- ABS polymer body & blades
- Power usage: 3W to 26W
- Airflow: 14,425 m³/hr
- 6 speed remote control and DC Wall Control (supplied)

NEW IMAGE with 18W CCT LED

Introducing an energy efficient 18W Dimmable CCT LED, that can be operated via wall control, remote or both with the latest Colour Changing Technology. You will be amazed by how much airflow this fan produces with very little power usage.



Matt White

With matt white polymer blades
(Product code: NIL105)



Matt Black

With matt black polymer blades
(Product code: NIL106)



Matt Black

With koa polymer blades
(Product code: NIL107)



PRODUCT FEATURES:

- 1320mm (52")
- 18W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- Quick Connect Blade System
- Polymer aerofoil blades
- Die Cast Aluminium body and canopy
- Power usage: 2W to 26W
- Airflow: 14,444 m³/hr
- 6 speed remote control and DC wall control supplied

PINNACLE DC

The Pinnacle (patents pending and registered design) with superior wedge design quick connect blades lock into the slimline die cast body.
This premium fan is supplied with both Remote Control and DC Wall Controller, which can be operated simultaneously.
Easily adaptable to any home decor with optional accessory blade set available in Koa or Bamboo finishes.



White

With matt white polymer blades
(Product code: DCP200)



Black

With matt black polymer blades
(Product code: DCP201)



Brushed Aluminium

With brushed silver polymer blades
(Product code: DCP202)



OPTIONAL ACCESSORY BLADES SET ONLY

*Koa finish blades
(Product code: DCPB208)



*Bamboo finish blades
(Product code: DCPB209)



PRODUCT FEATURES:

- 1320mm (52")
- 18W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- Quick Connect Blade System
- Polymer aerofoil blades
- Die Cast Aluminium body and canopy
- Power usage: 2W to 26W
- Airflow: 14,444 m³/hr
- 6 speed remote control and DC wall control supplied

PINNACLE DC with 18W LED CCT

The Pinnacle (patents pending and registered design) with superior wedge design quick connect blades lock into the slimline die cast body. This premium fan is supplied with both Remote Control and DC Wall Controller, which can be operated simultaneously. Easily adaptable to any home decor with optional accessory blade set available in Koa or Bamboo finishes.



White

With matt white polymer blades
(Product code: DCPL205)



Black

With matt black polymer blades
(Product code: DCPL206)



Brushed Aluminium

With brushed silver polymer blades
(Product code: DCPL207)



OPTIONAL ACCESSORY BLADES SET ONLY

*Koa finish blades
(Product code: DCPB208)



*Bamboo finish blades
(Product code: DCPB209)



PRODUCT FEATURES:

- 2200mm (86")/2700mm (106")
- Aluminium motor housing
- Aerodynamic Wedge Compression™ (AWC) blades
- Power usage: 75W on high
- Airflow: 35,480 m³/hr (86")/ 43,620 m³/hr (106")
- For use Indoor, Outdoor & Coastal locations, in Residential, Commercial & Industrial
- Light weight under 15kg and can be installed by one electrician
- 6 speed remote control (supplied)
- DC wall control adaptable (not included)

THE BIG FAN

The Big Fan will literally blow you away with its tremendous airflow and robust performance. Unlike any other super-sized fan on the market, this stylish, modern design ceiling fan is suitable for use in Commercial, Industrial and Residential applications.



White

With white Aerodynamic Wedge Compression™ blades

Available sizes:

2200mm / 86" (Product code: BF0861)

2700mm / 106" (Product code: BF1061)



Black

With Black Aerodynamic Wedge Compression™ blades

Available sizes:

2200mm / 86" (Product code: BF0862)

2700mm / 106" (Product code: BF1062)



Natural Oak

With Natural Oak Aerodynamic Wedge Compression™ blades

Available sizes:

2200mm / 86" (Product code: BF0864)

2700mm / 106" (Product code: BF1064)



Typhoon 316 Stainless Steel model shown



AC FAN RANGE

High airflow, quiet operation and simple installation are hall marks of Hunter Pacific's AC powered ceiling fans, with both contemporary and traditionally styled models outperforming comparable products.

Hunter Pacific's patented Slimline Motor Technology (SMT) lowers operating costs and aerodynamic polymer blades are built from easy-to-care-for long wearing materials that resist heat and moisture.

All Hunter Pacific AC motor ceiling fans are compatible with AC ceiling fan remote controls and building automation systems. All models are supplied a standard 3 speed wall control switch (Excluding Majestic Range).



PRODUCT FEATURES:

- 1320mm (52") diameter
- Slimline Motor Technology (SMT)
- Polymer aerofoil blades
- Die cast Aluminium body and canopy
- Power usage: 11W to 55W
- Airflow: 14,308m³/hr
- 3 speed wall control (supplied)

REVOLUTION®3

The Revolution®3 has an upgraded motor, increased blade pitch and minor cosmetic changes while retaining the popular looks of the original Revolution® fan.



White

With white polymer blades
(Product code: A3180)




Matt Black

With matt black polymer blades
(Product code: A3181)




Brushed Aluminium


With brushed silver polymer blades
(Product code: A3182)



Antique

With koa finished polymer blades
(Product Code: A3179)





PRODUCT FEATURES:

- 1320mm (52") diameter
- Slimline Motor Technology (SMT)
- 24W Dimmable LED Light
- Polymer Aerofoil blades
- Die Cast Aluminium body and canopy
- Power usage: 11W to 55W
- Airflow: 14,308m³/hr
- 3 speed wall control (supplied)

REVOLUTION®3 LED

The game changing Revolution®3 LED performs as good as the fan that inspired it. With one of the most powerful and thinnest LED lights in its class the Revolution®3 LED is an ideal fan for bedrooms, study areas and resorts. The secret behind Revolution®3 LED's clean, crisp, even spread of light is placing the LEDs around the perimeter of the diffuser instead of above it, thus blending the best commercial lighting practices with the stylish fan designs Hunter Pacific is famous for.




White

With white polymer blades & 24W CCT LED
(Product code: A3183)



Matt Black

With matt black polymer blades
(Product code: A3184)




Brushed Aluminium

With brushed silver polymer blades
(Product code: A3185)



Antique

With koa finished polymer blades
(Product code: A3186)



PRODUCT FEATURES:

- 1320mm (52") diameter
- Slimline Motor Technology (SMT)
- Polymer aerofoil blades
- Die Cast Aluminium body and canopy
- Power usage: 15W to 59W
- Airflow: 14,144 m³/hr
- 3 speed wall controller (supplied)

CONCEPT™ 3

Building on the timeless appeal of the Concept™ fan family, Concept™ 3 is an innovative update featuring a new ceiling canopy design and aerodynamic polymer blades. Beneath the surface Concept™ 3 incorporates Hunter Pacific's patented Slimline motor, giving a robust, reliable and energy efficient package suitable for every Australian climate.



White

With white polymer blades
(Product code: A3500)



Matt Black

With matt black polymer blades
(Product code: A3501)




Brushed Aluminium

With brushed silver polymer blades
(Product code: A3502)



Antique

With koa finished polymer blades
(Product code: A3503)





PRODUCT FEATURES:

- 1320mm (52") diameter
- Slimline Motor Technology (SMT)
- 24W Dimmable LED Light
- Polymer aerofoil blades
- Die Cast Aluminium body and canopy
- Power usage: 15W to 59W
- Airflow: 14,144 m³/hr
- 3 speed wall controller (supplied)

CONCEPT™3 LED

Concept™3 LED includes all the benefits of the Concept™3 innovative update and includes an all new perimeter fed 24W LED light. Drawing upon the technology behind the Revolution™3 LED light this new Concept™ family member once again sets new benchmarks for performance and elegance.



White

With white polymer blades & 24W CCT LED
(Product code: A3506)




Matt Black

With matt black polymer blades & 24W CCT LED
(Product code: A3507)




Brushed Aluminium

With brushed silver polymer blades
(Product code: A3508)



Antique

With koa finished polymer blades
(Product code: A3505)



PRODUCT FEATURES:

- 1320mm (52") diameter
- Plywood timber blades
- Die cast Aluminium body and canopy
- Power usage: 16W to 60W
- Airflow: 11,911 m³/hr
- Light cannot be fitted to no light fan
- 3 speed wall controller (supplied)

INTERCEPT® II

Introduced in 2009 the Intercept® range quickly became a best seller thanks to its blend of style, reliability and performance. Based on the class leading Concept™ family but without the advantages of Hunter Pacific's Slimline Motor Technology, Intercept® has excellent airflow and robust plywood blades.



White

With white timber blades
(Product code: A2300)



Matt Black

With matt black timber blades
(Product code: A2302)



Brushed Aluminium

With brushed silver timber blades
(Product code: A2301)



PRODUCT FEATURES:

- 1320mm (52") diameter
- 24W Dimmable CCT LED Light
- Colour temperatures: 3000K, 4000K & 6000K
- Plywood timber blades
- Die Cast Aluminium body and canopy
- Power usage: 16W to 60W
- Airflow: 11,911 m³/hr
- 3 speed wall controller (supplied)

INTERCEPT® II CCT LED

Stepping up to the benefits of energy efficient LED lighting has never been easier. Boasting a class leading 24W dimmable SMD CCT LED light the Intercept® II CCT LED delivers clear, even illumination that is perfect for bedrooms and other residential living spaces.



White

With white timber blades
(Product code: A2342)



Matt Black

With matt black timber blades
(Product code: A2344)



Brushed Aluminium

With brushed silver timber blades
(Product code: A2343)



PRODUCT FEATURES:

- 1320mm (52") diameter
- Plywood timber blades
- Die Cast Aluminium body and canopy
- Power usage: 16W to 60W
- Airflow: 11,911 m³/hr
- E27 lamp holders (bulbs not supplied)
- 3 speed wall control (supplied)

INTERCEPT® II E27

For cost conscious buyers who still want the benefits of exceptional quality, style and reliability Intercept® II with E27 light represents value and performance without stepping up to LED lighting.



White

With white timber blades
(Product code: A2306)



Matt Black

With matt black timber blades
(Product code: A2303)



Brushed Aluminium

With brushed silver timber blades
(Product code: A2307)



PRODUCT FEATURES:

- 1520mm (60")
- Polymer blades
- Die Cast Aluminium body and canopy
- Power usage: 18W to 90W (60")
- Airflow: 16,315 (60") m³/hr
- 17W CCT LED light adaptable (sold separately)
- 3 speed wall control (supplied)

AEROFORCE® 2

Bold, modern styling of the Aeroforce® 2 complements the latest architectural design trends. The Die Cast fan painted White, with white blades adds a touch of luxury. An optional accessory energy efficient 17W CCT LED light is available.



White

With white polymer blades
Available size:
1520mm/60"(Product code: A3529)



PRODUCT FEATURES:

- 1220/1320/1420mm (48"/52"/56")
- Aluminium or Steel blades (painted or plated)
- Pressed steel body (painted or plated)
- Power usage: 14W to 64W (48")/15W to 68W (52")/18W to 72W (56")
- Airflow: 13,824 (48")/ 16,345 (52")/18,512 (56")
- Light adaptable (sold separately)
- 3 speed wall control (supplied)

TYPHOON™ MACH 3 Metal

Industry leading airflow, robust construction and reliability are hallmarks off the Hunter Pacific Typhoon™ Mach 3. Industrial styling allows the Typhoon™ Mach 3 to fulfill a broad range of airflow requirements for schools and public buildings through to the latest 'metal look' interior design trends.



White

With white aluminium blades

Available sizes:

1220mm/48"(Product code: A3400)

1320mm/52"(Product code: A3410)

1420mm/56"(Product code: A3420)



Brushed Chrome

With stainless steel blades

Available sizes:

1220mm /48"(Product code: A3401)

1320mm /52"(Product code: A3411)

1420mm /56"(Product code: A3421)



Matt Black

With matt black aluminium blades

Available sizes:

1420mm/ 56"(Product code: A3423)



PRODUCT FEATURES:

- 1220/1320/1420mm (48"/52"/56")
- 316 Stainless steel blades
- Pressed 316 stainless steel body & canopy
- Power usage: 14W to 64W (48")/
15W to 68W (52")/18W to 72W (56")
- Airflow: 13,824 (48")/ 16,345 (52")/
18,512 (56")
- Light adaptable (sold separately)
- 3 speed wall control (supplied)

TYPHOON™ MACH 3 316 Stainless Steel

316 stainless steel is long lasting and characterises quality. When installed outdoors and regularly maintained a 316 stainless steel fan will resist corrosion better than ordinary pressed steel fans.



316 Stainless Steel

With 316 stainless steel blades

Available sizes:

1220mm / 48" (Product code: A3402)

1320mm / 52" (Product code: A3412)

1420mm / 56" (Product code: A3422)



PRODUCT FEATURES:

- 1320mm(52")
- Plywood timber blades
- Pressed steel body plated
- Power usage:15W to 66W
- Airflow:13,512 m³/hr
- Light adaptable (sold separately)
- 3 speed wall control (supplied)

TYPHOON™ MACH 3 Timber

Featuring plywood blades the Timber model is the quietest of the Typhoon™ Mach 3 family and an excellent choice for use in bedrooms and family living areas. The airflow performance is superior to many budget fans yet the Timber is both economical to purchase and run.



Antique Brass

With walnut timber blades
Available sizes:
1320mm/52"(Product code:A3472)



PRODUCT FEATURES:

- 1320mm (52")
- Polymer blades
- Pressed steel body & canopy (painted or plated)
- Power usage: 14W to 67W (52")
- Airflow: 15,048 (52") m³/hr
- Light adaptable (sold separately)
- 3 speed wall control (supplied)



White

With white polymer blades
Available sizes:
1320mm / 52"
(Product code: A3414)



TYPHOON™ MACH 3 Moulded

Specially created by Hunter Pacific for use in tropical zones, schools and public buildings the Typhoon™ Mach 3 Moulded uses solid plastic blades that resist corrosion and have a thicker, rounded leading edge. Airflow is similar to the industry leading performance of the Typhoon™ Mach 3.



PRODUCT FEATURES:

- 1220mm (48")
- Plywood timber blades
- Pressed steel body and canopy
- Power usage: 16W to 52W
- Airflow: 11,542 m³/hr
- Light cannot be fitted to no light fan
- 3 speed wall control (supplied)

AZURE™ By HPI

The 1220mm (48") diameter Azure™ is an excellent choice for decorating on a budget or for use in smaller rooms. Featuring high airflow for its compact size and choice of either E27 or CCT LED, the Azure™ reflects Hunter Pacific's commitment to quality and reliability. The Azure™ takes value for money to the next level.



White

With white timber blades
(Product code: A2323)




Brushed Nickel

With brushed silver timber blades
(Product code: A2324)



Matt Black

With matt black timber blades
(Product code: A2322)





PRODUCT FEATURES:

- 1220mm (48")
 - Plywood timber blades
 - Pressed steel body and canopy
 - Power usage: 16W to 52W
 - Airflow: 11,542 m3/hr
 - 3 speed wall control (supplied)
- 18W CCT LED
- Colour Changing Technology (CCT) 18W LED Dimmable on either Logic™ or compatible wall dimmer
 - CCT colours can be changed between 3000K, 4000K & 6000K using a standard light switch or on/off function on remote control
- E27
- 2 x E27 lamp holders (bulbs not supplied)

AZURE™ with Light By HPI

The 1220mm (48") diameter Azure™ is an excellent choice for decorating on a budget or for use in smaller rooms. Featuring high airflow for its compact size the Azure™ reflects Hunter Pacific's commitment to quality and reliability. The Azure™ takes value for money to the next level.




White

- With white timber blades
 - 18W CCT LED
 - (Product code: A2327)
- With white timber blades
 - E27 lamp holders
 - (Bulbs not supplied)
 - (Product code: A2325)



Brushed Nickel

- With brushed silver timber blades
 - 18W CCT LED
 - (Product code: A2328)
- With brushed silver timber blades
 - E27 lamp holders
 - (Bulbs not supplied)
 - (Product code: A2326)



Matt Black

- With matt black timber blades
- 18W CCT LED
- (Product code: A2329)



MAJESTIC® RANGE

Classic and traditional designs that are elegant, durable efficient and attractive form the hallmarks of Hunter Pacific's Majestic® range of ceiling fans. Formal spaces and relaxed living areas alike benefit from the Majestic® range's graceful lines and their highly efficient airflow breathes new life and charecter into a wide variety of decors.

The Majestic® Coolah™ is supplied with pull-cord speed control on the fan and is compatible with AC ceiling fan remote controls and building automation systems. A wide variety of ceiling fan lighting options can be fitted.



PRODUCT FEATURES:

- 1320mm(52")
- Plywood timber blades
- Pressed steel body & canopy (painted or plated)
- Power usage: 18W to 60W
- Airflow: 11,073m³/hr
- Light adaptable (sold separately)
- 3 speed pull cord operation

COOLAH™

Inspired by Caribbean resort styling, the Coolah™ features high airflow, a pull cord fan speed control and plywood blades. Available in two classic colour choices of white with white blades and antique with walnut blades the Coolah™ gives a fresh feel to any decor.



White

With white timber blades
(Product code: 830)
Rattan insert on one side only



Antique Brass

With walnut timber blades
(Product code: 837)
Rattan insert on one side only







ACCESSORY LIGHT KITS

Eclipse suitable for Typhoon Mach 3 or Coolah only Aeroforce 2 LED suitable for Aeroforce 2 / Aeroforce only


For those wanting to add a light to either their Typhoon Mach 3 or Coolah fan the eclipse light kit is a popular choice.
Available in twin E27 lamp holders with a range of colours to suit the desired fan choice.

For those who like the look and appeal of the Aeroforce 2 fan an accessory 17W dimmable LED light is available.



Eclipse

Available in E27 lamp holders (bulbs not supplied)
Compatible with Typhoon Mach 3 or Coolah
Available in the following colours: White (Product code:A3480)
Brushed Chrome (Product code:A3481)
Matt Black (Product code:A3482)
Antique Brass (Product code:A3483)
316 Stainless Steel (Product code:A3484)



Aeroforce 2 CCT LED light

17W CCT LED (dimmable)
Colour temperatures: 3000K, 4000K and 6000K
Compatible with Aeroforce 2
(Product code: A3520)





ACCESSORY LIGHT KITS

Concept™ 3, Concept™ 2 and eco2

For those that have an existing Concept™ 2 or eco2 fan (SMT 2014 onwards) the Concept™ 3 LED light is available as an upgrade to replace the R7s lamp holder version or for those who want a cleaner more elegant look for their fan with light.



Brushed Aluminium

24W LED light (dimmable)
Suitable for Concept™ 3 Concept™ 2
(SMT 2014 onwards) and
eco2 (SMT 2014 onwards)
(Product code:A3514)



White

24W CCT LED light(dimmmable)
Suitable for Concept™ 3 Concept™ 2
(SMT 2014 onwards) and
eco2 (SMT 2014 onwards)
(Product code:A3512)



Matt Black

24W LED light(dimmmable)
Suitable for Concept™ 3 Concept™ 2
(SMT 2014 onwards) and
eco2 (SMT 2014 onwards)
(Product code:A3513)



CEILING FAN REMOTE CONTROLS & DC WALL CONTROL


The KONETIK® is the leader of the pack when it comes to entry level fan remote control systems. Convenience and compatibility headline the features of the KONETIK® remote including easy pairing 3 speed fan control and Hunter Pacific's unique selectable™ Power-On-Light™ function.

Logic™ the name says it all. Many years of experience has shown people expect a remote control system to work properly and be easy to use. The Logic™ remote control system offers the latest functions and benefits such as 4 speeds, dimming on compatible dimmable globes, suitable for use with compatible Colour Changing Technology (CCT), Power on Light, timer function on fan and light and buzzer silencing. The Logic™ makes perfect sense.



KONETIK®

Non-dimming remote compatible with all types of ceiling fan lights.
Receiver functions: fan On /Off, fan speeds – High/Medium/Low, Light On/Off, Power-on-light (POL) selector
AC fan motor: 80W max.
Lights: 80W max.
Handset colour: White
All AC remotes 2 year* warranty from date of purchase
(Product code: A2002)



LOGIC™

Compatible with most types of dimmable LED lamps (36W max.) and incandescent lamp (80W max.)
Receiver functions: fan On /Off, 4 fan speeds, fan and light timer (1h, 2h, 3h, 6h). Light On/Off, Light dimming, Power-on-light (POL) selector
AC fan motor: 80W max.
Handset colour: White
All AC remotes 2 year* warranty from date of purchase
(Product code: A2003)



DC Wall Controller

Compatible with most types of dimmable LED lamps (36W max.)
Also compatible with fans with Colour Changing Technology LED
Receiver functions: fan On/Off, 6 fan speeds, fan and light timer (1h, 2h, 3h, 6h). Light On/Off, Light dimming, Power-on-light (POL) selector
DC fan motor: 75 W max.
Wall control colour: White
All DC controllers 2 year* warranty from date of purchase
(Product code: DCWC240)



EXTENSION DOWN RODS

Hunter Pacific offers a range of accessory extension down rods for its entire range of ceiling fans.

Ø 26mm extension down rods

Suitable for Revolution 3, Concept 3, Intercept II, X-Over DC & Aeroforce 2.
Available in the following lengths.
600mm Antique Down Rod (Product code: 016)
910mm White Down Rod (Product code: 010)
910mm Matt Black Down Rod (Product code: 013)
910mm Brushed Aluminium Down Rod (Product code: 018)
1200mm Antique Down Rod (Product code: 027)
1800mm White Down Rod (Product code: 020)
1800mm Matt Black Down Rod (Product code: 023)
1800mm Brushed Aluminium Down Rod (Product code: 028)

Ø 21mm extension down rods

Suitable for Typhoon Mach 3, Azure, Majestic Coolah.
Available in the following lengths.
910mm White Down Rod (Product code: 050)
910mm Brushed Chrome Down Rod (Product code: 052)
910mm Matt Black Down Rod (Product code: 053)
910mm Polished Brass Down Rod (Product code: 056)
910mm Antique Brass Down Rod (Product code: 057)
910mm 316 Stainless Steel Down Rod (Product code: 059)
1800mm White Down Rod (Product code: 060)
1800mm Brushed Chrome Down Rod (Product code: 062)
1800mm Matt Black Down Rod (Product code: 063)
1800mm Antique Brass Down Rod (Product code: 067)
1800mm 316 Stainless Steel Down Rod (Product code: 069)

Ø 26mm DC Radical 2 extension down rods

Suitable for Radical 2 only.
Available in the following lengths.
600mm Antique Down Rod (Product code: DC2433)
910mm White Down Rod (Product code: DC2430)
910mm Matt Black Down Rod (Product code: DC2431)
910mm Brushed Aluminium Down Rod (Product code: DC2432)
1200mm Antique Down Rod (Product code: DC2439)
1800mm White Down Rod (Product code: DC2436)
1800mm Matt Black Down Rod (Product code: DC2437)
1800mm Brushed Aluminium Down Rod (Product code: DC2438)

Ø 26mm DC threaded extension down rods

Suitable for Aqua, Polar, Next Creation, New Image and Pinnacle DC
Available in the following lengths.
910mm White Down Rod (Product code: DC2460)
910mm Matt Black Down Rod (Product code: DC2461)
910mm Brushed Aluminum Down Rod (Product Code: DC2462)
1800mm White Down Rod (Product code: DC2467)
1800mm Matt Black Down Rod (Product code: DC2468)
1800mm Brushed Aluminum Down Rod (Product Code: DC2469)

Ø 60mm DC extension down rods

Suitable for THE BIG FAN only
910mm White Down Rod (Product code: DC2470)
910mm Matt Black Down Rod (Product code: DC2471)
1800mm White Down Rod (Product code: DC2477)
1800mm Matt Black Down Rod (Product code: DC2478)



T-Hook

Use to preserve decorative ceilings and with suspended or non-structural ceilings.
(Product code:009)



Mains Power Noise Filters

May reduce noise induced into ceiling fan by electricity providers ripple control signaling (only applicable in parts of NSW or QLD).
Available in:
-750 Hz (Product code: 008)
-1050 Hz (Product code: 007)



Universal 38 Degree Ceiling Kit

For angled ceilings up to 38°. Only suitable for fans with 26mm diameter down rod.
Available in:
- Matt White (Product code: 080)
- Painted Silver (Product code: 082)
- Matt Black (Product code: 083)

Hunter Pacific International

Sales Tel: 1300 369 828 (Australia wide)
Sales Email: sales@hunterpacific.com.au (Australia wide)
Website: www.hunterpacific.com.au

Hunter Pacific International Warehouses
New South Wales and Queensland

Things you should consider:

- All electrical work must be done by licensed electricians and fans, lights and remote control receivers must be located where they can be accessed for maintenance and fitted with an isolation switch.
- Outdoor locations must be protected from wind on all sides except one. Wind and air currents will cause fan to wobble.
- Most electrical systems have noise present and this can sometimes be heard in a ceiling fan. Ripple control signals and dimmer noise may sound like buzzing in the fan and is not caused by a defect in the fan. Noise filters may help reduce such noise.
- Decorative finishes will wear with heavy use and not regularly cleaning steel fan parts will lead to corrosion.
- Different rooms will cause different performance and fans will vary in speed a small amount.
- Modifications to the products (other than changing down rods) may void warranty.
- Not installing the product according to directions may affect performance or limit warranty coverage.

CEILING FANS, LIGHTS & CONTROLS WARRANTY PERIODS: Hunter Pacific DC Fan range warranty (purchased from 1 November 2019):

- 6 year warranty including:
- 3 year In-Home Warranty on the motor, excluding cosmetic issues and corrosion (unless reported in the first 3 months).
- 3 year additional Parts Only Warranty on the motor
- 1 year warranty applies when the fan or relevant part is used in any non- domestic applications.
- 2 year In-Home Warranty on all DC electronic components such as DC remote control systems, lighting and Accessory Wall Control.

Hunter Pacific International AC fan range (purchased from 1st November 2019):

- 6 year Warranty Including:
- 3 year In-Home Warranty on all Hunter Pacific International AC Ceiling Fans. This warranty excludes cosmetic & corrosion damage (unless reported in the first 3 months).
- 3 year additional Parts Only Warranty on the motor.
- 1 year warranty applies when the fan or relevant part is used in any non-domestic applications.
- Integrated light kits on AC Ceiling fans are covered by 2 years warranty.

AC remote controls and Accessories

- 2 year warranty on Konetik and Logic Remote control systems (purchased from 1st November 2019) Including:
- 1 year In-Home Warranty
- 1 year Replacement Parts Only Warranty
- All other AC non-integrated Hunter Pacific light kits and AC Remote control systems are separately purchased accessories and as such are covered by our accessory parts warranty for 12 months In – Home Warranty from date of purchase.
- 1 year warranty applies when the fan or relevant part is used in any non-domestic applications.



Philanthropy

Hunter Pacific has been a long term supporter of overseas aid projects, funding the construction of community buildings and sponsoring health and welfare initiatives in developing countries. It is only through the hard work and dedication of countless volunteers and community workers in those countries that many otherwise helpless people are lifted from dire circumstances and given opportunities to progress. Hunter Pacific is thankful for the opportunity to assist with these efforts and continues to support Baptist World Aid Australia in the fight to end poverty. To remember what is important in life we have donated the following.

Bees Honey is in hot demand in Nepal and beekeeping can provide a reliable income for families. That's sweet!

Water Something we have everyday and may take for granted but clean water should be available to everyone.

Goats Goats are big business in Nepal they generate income for families.

Seeds The right seeds for farmers in Kenya together with sustainable agriculture techniques means a life changing harvest.

Education Did you know an educated girl increases her earning potential by 10% for each school year completed?

Flush away poverty A clean functioning toilet and awareness of hygiene practices a safer and healthier environment.

Livestock Raising livestock, farming sustainably and basic business training all help with improving family incomes.

Vanilla Beans Curing, production and marketing of Vanilla Beans provides income support for communities in Papua New Guinea.

Children Quality education for children in Nepal and Bangladesh encourage learning and assists kids to stay the course of their studies.

Totem Description



Blade sweep

The number within the circle indicators the diameter (in inches) of the fan from blade tip to blade tip. (48"=1220mm, 52"=1320mm, 56"=1420mm, 60"=1520mm, 70"=1780mm, 86"= 2180mm, 106"= 2690mm)



Blade material

The letter indicates the type of material used to make the blade supplied with the fan i.e. M=metal, P=Polymer, A = Aluminium, 316 = 316 Stainless Steel T=Timber, TUV =Timber blades with a UV coating, AWC = Aerodynamic Wedge Compression.



AC Motor

The fan is powered by an AC induction motor.



DC Motor

The fan is powered by permanent magnet DC motor.



Slimline Motor Technology (SMT)

The fan is designed with patented motor technology which allows for smaller, equally powerful yet highly reliable operation.



Fan speed

The number in the circle indicates how many speeds the fan has in the forward and reverse direction.



Remote adaptable

The fan is not supplied with a remote control system. However, a remote control system can be purchased as an accessory for the fan.



Non Remote Adaptable

This fan is supplied with a 3 speed wall control and is NOT remote adaptable.



Reversible airflow

The fan can be operated in summer or winter mode.



Reversible airflow from remote

The fans direction can be reversed from the supplied remote.



Aerofoil blade design

The blade has been designed using the principles of aerodynamics to produce greater airflow whilst consuming less energy when compared to traditional flat paddle blades.



Pressed metal body and canopy

The fan body and top canopy are mae from pressed metal. The 316 designation indicates the fan body and canopy are made from 316 marine grade stainless steel.



LED Light

The number in the circle indicates the wattage of either the integrated LED light or accessory LED light kit.



3 speed pull cord

Fan is operated by a three speed pull cord. Allowing the user to choose between High, Medium and Low fan speeds.



Light adaptable

The fan is not supplied with a light. However, a light can be purchased as an accessory for the fan.



Non-light adaptable

The fan is not supplied with a light and a light cannot be added to the fan.



Integrated light

The fan has a built-in light fitting.



Angled ceiling mount

The number in the circle indicates the maximum ceiling angle the supplied mounting hardware can be installed to.



Building Automation Systems

Suitable for use with Building Automation Systems (BMS) that do not use dimmer/phase control.



Wall control

3 speed switch included.



Die cast body and canopy

The fan body and canopy are made from a manufacturing process called die casting. This process produces a robust part which has good corrosion resistance.



Coastal/Indoor/Outdoor undercover use

Suitable for installation indoors and for indoor coastal areas. The fan is also suitable for installation in a pergola or outside in a sheltered area, protected from wind and rain.



Indoor/Outdoor undercover use

Suitable for installation indoors or in a pergola or outside in a sheltered area, protected from wind and rain.



Recommended for indoor use only

The fan should be installed and used indoors. Not suitable for outdoor use and not recommended for coastal locations.



Non-user serviceable

Fans can only be installed and serviced by a licensed electrician or qualified technician. (Blades and lamps are user replaceable).



Lamp holder

Twin E27 lamp holders (bulb not included)



Colour Changing Technology (CCT).

CCT colours can be changed between 3000K, 4000K and 6000K using a standard light switch or on/off function on remote control.



DC Wall Control

240V DC Wall Control suitable for use with Aqua IP66, Polar, Next Creation, New Image, Pinnacle and The Big Fan.

Choosing the right fan and accessories

Ceiling fans are not all alike and Hunter Pacific designs its products to perform well in most domestic and commercial environments. The amount of airflow produced by a ceiling fan will depend on where it is installed and the ability of the fan to draw air into its sweep area will govern how much air can be moved. The use of extension down rods will ensure the fan can be located clear of pitched ceilings, clear of obstructions and at optimum height to get maximum benefits of the airflow.

Ceiling fans circulate air within a room and provide a cooling effect through the action of air moving over the skin. In winter ceiling fans redistribute warm air that gathers at the ceiling, pushing it down and through the room.

Remote controls are convenient and may be a suitable alternative when control wiring cannot be easily fitted. Remote controls come in two parts, a receiver module located in the fan and a hand piece. The receiver module is wired across the supply voltage and like all electronic devices is susceptible to damage from voltage spikes from storms or excessive voltage from uncoordinated power systems. Hence a wall switch must be fitted to allow the power to be turned off to prolong receiver life and to comply with Australian Standards.

Hunter Pacific offers a comprehensive warranty that exceeds Australian Consumer Law requirements. It should be noted however ceiling fans, especially those outdoors, must be maintained by regular cleaning and periodic inspection of blades, screws and mounting hardware. Incorrect installation, lack of maintenance, damage and electricity supply problems (noise, surges) are not covered by warranty. Airflow figures are those obtained by testing under laboratory conditions, using the USA Energy Star test method. The actual airflow will depend on the location, environment and configuration of the room the fan is within.

Fan Size Guide

Choosing the right fan depends on many factors and it's best to start deciding what you want the fan to do. Ceiling fans that provide high airflow for outdoor spaces are less suited for bedrooms, where a quiet, gentle breeze is desired for sleeping under. Ceiling fans with plastic and timber blades are safer in bedrooms and public spaces, run quieter and produce good airflow. Steel blade fans have the power to move large quantities of air quickly and are suited to large areas.

Hunter Pacific ceiling fans are designed to enhance modern decors and the fan should be integrated into the theme of the room. The shape of a room and its ceiling may require extension down rods to lower the fan to the recommended height above floor level or to avoid crowding the fan with 'dead air' spaces above and beside it.

Larger fans can be operated at slower speeds than smaller fans to produce the same airflow but with less noise. Likewise two or more fans in a large room are better than one fan running continuously at high speed.

The Fan Size Guide below shows the largest room sizes where a single fan can be used. Depending on the building location and design more than one fan may be required for satisfactory performance.

Hunter Pacific International has larger fans 86" and 106" which are suitable for use in large outdoor area's, and other applications, for room size guide please contact Hunter Pacific for further information.

